




Time New Rome 11

RTXM266-600 10G EPON 10G EPON OLT

Time New Rome 11

- XFP SC
-
- 10.3125Gbps&1.25Gbps 10Gbps& 1.25Gbps
- 3.3V
- ROHS

Time New Rome 11

- 10G&1G/10&1G EPON OLT

Time New Rome 11

- IEEE 802.3av
- MSA SFF-8077iv4.5

Time New Rome 11

		Specifications		
	dBm	+2		+5
	nm	1575	1577	1580
	dB	6		
	nm			1
	dB	30		
	dB			1.5
	dBm	+2		+7
	nm	1480	1490	1500
	dB	9		
	nm			1
	dB	30		
	dB			2.3
	dBm			-28
	dBm	-6		
	ns			800
	dBm			-29.78
	dBm	-9.3		
	ns			400

Time New Rome 11

Specifications										
Part No.										
	(Gb/s)		(dBm)		dBm		(km)			
RTXM266-600	XFP	10G/1G	EML DFB	+2~+5	APD	<-28	0~70	20	DD M	10 G EPO N
Vcc				V	3.13	3.3	3.47			
Icc				mA	1200					

Transmitter				
	ohm		100	
Vin p-p	mV	120		850
VIH	V	2.0		3.3
VIL	V	0		0.8
Receiver				
Vout p-p	mV	400		850
	ps		28	40
	ps		28	40
VOL	V	0		0.4
VOH	V	2.4		3.3